



सत्यमेव जयते

INDIA NON JUDICIAL

Government of Karnataka



e-Stamp

Certificate No. : IN-KA30293866898585S
Certificate Issued Date : 25-Sep-2020 11:41 AM
Account Reference : NONACC (FI)/kacrs108/ RAJAJINAGAR2/ KA-BN
Unique Doc. Reference : SUBIN-KAKACRSFL0857808841588754S
Purchased by : AQUA CHEM TECH INTERNATIONAL
Description of Document : Article 12 Bond
Description : AGREEMENT
Consideration Price (Rs.) : 0
 (Zero)
First Party : AQUA CHEM TECH INTERNATIONAL
Second Party : PRERANA EDUCATIONAL AND SOCIAL TRUST
Stamp Duty Paid By : AQUA CHEM TECH INTERNATIONAL
Stamp Duty Amount (Rs.) : 100
 (One Hundred only)

सत्यमेव जयते

Authorised Signatory
The Karnataka State Registration & Stamps Department
Wodeyar Multipurpose Co-operative Society Limited H.



Please write or type below this line

AGREEMENT

This agreement is made from 1st SEP 2020 between M/s. Aqua chem-tech International, Bangalore and M/s. Prerana- Educational & Social Trust;- to operate and maintain 250 KLD-STP at Prerana Educational & Social Trust (R), Sagar Road, Shimoga with following Conditions.

1. Managing trustee of Prerana Educational & Social Trust (R), will be the first party and CEO of M/s. Aqua chem-tech International, is the second party.

For AQUA CHEM TECH INTERNATIONAL

A. N. S.
C.E.O.

K. Saitalatha
Principal

PES Institute of Advanced Management Studies
NH 206, Sagar Road
SHIVAMOGGA-577 204

[Signature]



Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.shcinstamp.com' or using e-Stamp Mobile App of Stock Exchanges. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

KARNATAKA GOVERNMENT OF KARNATAKA

2. First party is given the work order to the second party for operation and maintenance of 250 KLD-STP for a period of one year from 01" Sept 2020 to 31" Aug 2021.

3. Second party has to maintain the plant from 01' Sept 2020 and second party has to induct 3 man powers on 3 Shift bases and one experienced supervisor (2 days a week Visit Basis and as when required in emergency).

4. Second party has to provide all the safety PPE's to the employees along with the ID Card.

5. Second party has to maintain attendance register at security gate of Prerana Educational & Social Trust (R)., and copy of the same needs to be attached while claiming the bills.

6. Second party has to maintain the plant as per the KSPCB norms, once in every month the treated water to be tested in KSPCB authorized lab and submit the same to first party cost of the activity if any needs to be paid by second party.

7. Second party has to submit the ESI, PF paid challan every month along with invoice and test report from the KSPCB approved laboratory to first party.

8. First party has to make the payment of Rs. 60,000 +18% GST before 10th of every month to second party after receipt of the ESLPF,KSPCB Laboratory report.

9. Second party has to full fill all the KSPCB requirement as per norms and suitable technical person witness during KSPCB visit.

10. MESCOM bill and other major repair is the responsibility of first party.


11. The Labors belongs to second party is not suppose to claim any payment dues or any Statutory payments from first party. In this case second party is sole responsible for salary wages and Statutory payments.

12. The first party not responsible for any accident, Injuries/death of the operators/supervisors at site during the STP maintenance work, whole & sole responsibility rest with the Second party.

13. Second party has to full fill & take all safety standard measures as per norms to the labors deputed at site.

14. First party has to do all cleaning works and Second party has to help for all STP tank cleaning work once in a year during college long period of vacation.[supervisor and operators should help during cleaning process].

For AQUA CHEM TECH INTERNATIONAL


C.E.O.


Principal
PES Institute of Advanced Management Studies
NH 206, Sagar Road
SHIVAMOGGA-577 204








15. The First party can terminate this agreement by giving written notice period 15 days in advance if the Second party not full fills any of the agreement terms.

16. This agreement shall be governed and construed in accordance with the laws of the State of Karnataka.

17. The second party will be liable for any damage to the first party equipments and any other property if such damage is caused by the second party's negligence or willful act.

18. The Second party will be resolve all the quires from KSPCB related to STP.

19. Both the parties are agreed for the above said condition and signed for this agreement.

D.BHASKAR.

CEO
For AQUA CHEM TECH INTERNATIONAL



C.E.O.

AQUA CHEM TECH INTERNATIONAL
BANGALORE.

Dr. Nagaraja.R
Chief Coordinator Administration.



Preranana Educational & Social
Trust (R). Shivmoga.



Principal

PES Institute of Advanced Management Studies
NH 206, Sagar Road
SHIVAMOGGA-577 204



Manufacture of Sewage / Effluent Treatment Plant,
Environment Impact Assessments (EIA), Environment
Audits, Water Treatment Plant, Reverse osmosis
System, Ozonators, RO Membrane, UV System.

Aqua

Chem-Tech International

ISO 9001:2008 COMPANY

RESPONSIBILITY OF AQUA CHEMTECH INTERNATIONAL:-

- Aqua chem-tech International is at liberty to change the operators as per convenience.
Client request for operator change will take effect within 30 days.
- Lab testing of treated water will be carried out on monthly basis.
- Operators will take stock of all the chemicals and consumables spare parts and other supplied by the client.
- Carry out minimum maintenance of plant to keep the same in Operating condition. Minimum maintenance in this context would include maintenance activities like cleaning, greasing, lubrication, tightening of loose parts etc.
- Shall Take care that no equipment failure will arise due to Operational failure.



Requirements from Client End (for AMC):

For efficient Plant working, operation and maintenance and to provide good quality of treated water, client has to provide the following items and work.

- Disposal of Collected screed Solid waste, and oil waste from the plant.
- All required equipments/Materials, including filter media for pressure sand filter and Activated Carbon filter, chemicals, lubricants, tools, house keeping, screening mesh for removing the floating materials from all tanks, disinfectants, /deodarants required for operation and maintenance will be provided by the client and details are given below in the table.

For AQUA CHEM TECH INTERNATIONAL

D. N. S.
C.E.O.



K. S. S.
Principal

PES Institute of Advanced Management Studies
NH 206, Sagar Road
SHIVAMOGGA-577 204



No. 71, Kantha Complex,
Dr. Raj Kumar Road, Rajanagar
3rd Stage, Prakashtnagar,
Bangalore 560 021.
Ph: 080 23526033, 23322777.
Telefax: 23526033
Email: aquachemtechindia@gmail.com
aquachemtech@hotmail.com



Manufacture of Sewage / Effluent Treatment Plant,
Environment Impact Assessments (EIA), Environment
Audits, Water Treatment Plant, Reverse osmosis
System, Ozonators, RO Membrane, UV System.

Aqua
Chem-Tech
International
ISO 9001:2008 COMPANY



Sl No	Description of Item
1	Consumables and lubricants and oil for operation and maintaining of Mechanical equipments.
2	Lubrication of grease Or oil-Castrol grease 5000 gms /per month.
3	Blower/Compressor Oil - 2 ltrs per month.
4	Aluminium sulphate. 500 gms per day.
5	Chlorine for Dis infection- 2-3 ltrs/day
6	Urea/DAP as per daily requirement.
7	Bio-culture (cowdung) requirement once in a year, or depending on MLSS in the system
8	Sand filter Media and drying bed media replacement- once in a year, depending on the efficiency of plant/ water quality.
9	Activated Carbon filter media replacement once in a year, depending on the efficiency of plant/ water quality.
10	Disposal of dried sludge from Sludge Drying beds-once in a month.

C. Continuous supply of Electricity and fresh water as required will be made available at plant free of cost.

D. Carryout breakdown maintenance of the plant as and when required. All services/repairs, replacements of equipment out of warrant period will be charged extra at actual + 25% overhead charges.

E. We will take every care to rectify the faults in the plant or equipments whether under warranty/out of warranty as soon as possible. However Aqua chem tech would not be liable for any loss of revenues or additional expenses for disposal of water or other consumables/ damages/ nor will any debits be accepted on any account.

F. The Plant will be the property of the client. Hence security, insurance, watch and ward fencing and lighting will be to client account.

G. Client will allow us to arrange visits of Government Officials, Pollution control board officers, and other Visitors. Client will not restrict Aqua chem-tech International staff from entering the plant premises.

Other Conditions:- Any other Client requirement and special conditions imposed on us who calls for additional expenses will be charged to clients account.

and M services will stand withdraws for non Payment of any outstanding account on any more than 30 days after submission of bills.



No. 73, Kartha Complex,
Dr. Raj Kumar Road, Rajanagar,
3rd Stage, Prakashnagar,
Bangalore - 560 021
Ph: 080 23526033, 23322777,
Telefax: 23526033

E-mail: aqua@chemtechintl.com
aqua@chemtechintl.com

AQUA CHEM TECH INTERNATIONAL

[Signature]
C.E.O.



[Signature]
Principal

PES Institute of Advanced Management Studies
NH 206, Sagar Road
SHIVAMOGGA-577 204



सत्यमेव जयते


INDIA NON JUDICIAL



Government of Karnataka

e-Stamp

Certificate No.	: IN-KA04541258318673R
Certificate Issued Date	: 25-Sep-2019 01:11 PM
Account Reference	: NONACC (FI)/ kaksfc08/ SHIMOGA1/ KA-SM
Unique Doc. Reference	: SUBIN-KAKAKSFCL0830271387543716R
Purchased by	: PRERANA EDUCATIONAL AND SOCIAL TRUST R
Description of Document	: Article 12 Bond
Description	: AGREEMENT
Consideration Price (Rs.)	: 0 (Zero)
First Party	: PRERANA EDUCATIONAL AND SOCIAL TRUST R
Second Party	: PARISARA CONSULTANTS
Stamp Duty Paid By	: PRERANA EDUCATIONAL AND SOCIAL TRUST R
Stamp Duty Amount(Rs.)	: 100 (One Hundred only)



This agreement is made from 18th SEP 2019 between M/s. Parisara Consultants and M/s. Prerana Educational & Social Trust, to operate and maintain 250 KLD-STP at Prerana Educational & Social Trust (R), Sagar Road, Shimoga with following Conditions.

- Managing trustee of Prerana Educational & Social Trust (R), will be the first party and CEO of M/s. Parisara Consultancy is the second party.
- First party is given the work order to the second party for operation and maintainance of 250 KLD-STP for a period of one year from 01st Sept 2019 to 31st July 2020.
- Second party has to maintain the plant from 01st Sep 2019 and second party has to induct 3 man powers on 3 Shift bases and one experienced supervisor (On Daily Visit Basis).

(Signature)

(Signature)
Principal

(Signature)

Contd..2.

Vertical text on the right edge of the page, likely a watermark or scanning artifact.




- > Second party has to provide all the safety PPE's to the employees along with the ID Card.
- > Second party has to maintain attendance register at security gate of Prerana Educational & Social Trust (R).. and copy of the same needs to be attached while claiming the bills.
- > Second party has to maintain the plant as per the KSPCB norms, once in every month the treated water to be tested in KSPCB authorized lab and submit the same to first party cost of the activity if any needs to be paid by second party.
- > Second party has to submit the ESI, PF paid challan every month along with invoice and test report from the KSPCB approved laboratory to first party.
- > First party has to make the payment of Rs. 48,000 +18% GST before 10th of every month to second party after receipt of the ESI,PF,KSPCB Laboratory report
- > Second party has to full fill all the KSPCB norms and suitable technical person should witness during KSPCB visit.
- > MESCOM bill and other major repair is the responsibility of first party.
- > The Labors belongs to second party is not suppose to claim any payment dues or any statutory payments from first party. In this case second party is sole responsible for salary wages and statutory payments.
- > The first party not responsible for any accident, Injuries / death of the operators / supervisors at site during the STP maintenance work, whole & sole responsibility rest with the Second party.
- > Second party has to full fill & take all safety standard measures as per norms to the labors deputed at site.
- > Second party has to do all STP tank cleaning work once in a year during college long period vacation.
- > The First party can terminate this agreement by giving written notice period 15days in advance if the Second party not full fills any of the agreement terms
- > This agreement shall be governed and construed in accordance with the laws of the State of Karnataka.
- > The second party will be liable for any damage to the first party equipments and any other property if such damage is caused by the second party's negligence or willful act.
- > The Second party will be resolve all the quires from KSPCB related to STP.
- > Both the parties are agreed for the above said condition and signed for this agreement.


 J. S. Rainachde
 Parisara Consultants
 Shimoga


 K. Sankar
 Principal
 PES Institute of Advanced Management Studies
 NH 206, Sagar Road
 SHIVAMOGGA-577 204.




 B. Y. Ragavendra
 Managing Trustee
 Prerana Educational & Social Trust (R).
 Shimoga



PARISARA CONSULTANTS

Environmental Management System Consultancy

Shimoga Office : # 75A/A-Block, Behind State Bank of India, 100 Ft. Road,
Gopala Gowda Extn. SHIVAMOGGA-577 204, Mob : 99801 24810, 99801 24811,
Tel Fax : 08182-255137, E-mail : parisara2004@gmail.com

TUV
SAGAR
SHIMOGA



3...

SL. No	Description of Item
1	Consumables and lubricants & oil for operation and maintaining of mechanical equipments
2	Lubrication oil or Grease-Castrol grease-500 gms per month
3	Blower/Compressor Oil-SP 460. 2 liters per month
4	Aluminum Sulfate-500 gms per day
5	Chlorine for Disinfection-2 to 3 liters per day.Approx. 60 liters per month.
6	Urea, DAP as per our daily requirement
7	Bio-Culture (Cowdung) requirement once in a year, depend your aeration MLSS(Mixed liquor suspended solids)condition.
8	Sand Filter Media and drying bed media replacement-once in a year, depend your water quality
9	Activated carbon Filter media replacement-once in a year, depend your water quality
10	Disposal of dried sludge from Sludge Drying Beds-twice in a month.

c) Continues supply of Electricity and fresh water as required will be made available at plant free of cost

d) Carryout breakdown maintenance of the plant as and when required.

All services/repairs/replacements of equipment out of warrant period will be charged extra at actual+20% overhead charges

e) we will take every care to rectify the faults in the plant or equipment whether under warranty/out of warranty as soon as possible. However, PARISARA would not be liable for any loss of revenue or additional expenses for disposal of waste/or other consequential damages/nor will any debits be accepted anany accounts.

f) The Plant will be the property of the client. Hence security, insurance, watch and ward,fencing and lighting will be to client account

g) Client will allow us to arrange visits of government officials, pollution control board officers and other visitors. Client will not restrict PARISARA staff from entering the plant premises.

K. S. Subrahmanya
Principal





PARISARA CONSULTANTS

Environmental Management System Consultancy

Shimoga Office : # 75A/A-Block, Behind State Bank of India, 100 Ft. Gopala Gowda Extn. SHIVAMOGGA-577 204, Mob : 99801 24810, 99801 24811, Tel Fax : 08182-255137, E-mail : parisara2004@gmail.com



5. OTHER CONDITIONS

- a) Any other Client requirement and special conditions imposed on us who calls for additional expenses will be charges to client account.
- b) O&M services will stand withdrawn for nonpayment of any outstanding amount on any account for more than 30 days after submission of bills.
- c) Either party can terminate this contract agreement with 30 days prior notice sent by registered post to the other party with assigning proper reason thereof. If client wishes to terminate the contract, then all pending dues up to the last day of notice period must be settled in advance before serving the notice.
- d) All required tools & tackles and other material brought inside the sewage Treatment Plant premises by PARISARA staff will be allowed to be taken out, without any hindrances, acknowledgement of inward material outside the premises, such equipment, if retained by client, will be charged.

6. DISPUTE RESOLUTION AND JURISDICTION

Any and all disputes, differences or questions relating to or arising out of this agreement, including without limitation, any questions relating to the existence, validity and enforceability of any of the provisions of this agreement (together "Disputes"), will be submitted for arbitration under the provisions of the Arbitration and Conciliation Act, 1996, to be conducted by a sole arbitrator mutually agreed by the parties. The Parties agree that the place of arbitration will be in Shivamogga and the language of arbitral proceedings shall be the English language. The decision of the arbitrator will be final and binding on the parties.

7. FORCE MAJEURE CLAUSE

In no event shall either party have any liability for failure to comply with this Agreement, if such failure results directly from the occurrence of any contingency beyond the reasonable control of the party, including, without limitation, strike or other labor disturbance, riot, power failure, war, natural calamities including but not limited to floods, earthquakes, fire, volcanic eruptions epidemics, national emergency interference by any government or governmental agency, embargo, seizure, or enactment or abolition of any law, statute, ordinance, rule, or regulation (each a "Force Majeure Event").

K. Saitan
Principal



PARISARA CONSULTANTS

Environmental Management System Consultancy



Governmental agency, embassy, within the ambit of any law, statute, ordinance, rule or regulation of India, Force Majeure Event, 99801 24811, Tel Fax : 08182-255137, E-mail : parisara2004@gmail.com



..5..

In the event that either party is unable to perform any of its obligations under this Agreement because of a Force Majeure Event, the party who has been so affected shall as soon as may be after the cessation of the Force Majeure Event. If the period of nonperformance due to a Force Majeure Event exceeds thirty(30) days, the party whose ability to perform has not been so affected may, by giving written notice, terminate this Agreement.

8. Commercial Terms and Conditions:
Estimate for Operation and Maintenance of the Sewage Treatment Plant;
Contract Period from 1st September 2019 to 31st JULY 2020-14 Months

Sl.No	Details	Amount Rs.
1.	Annual Maintenance Contract of 250 KLD STP by 3 operators estimated monthly rate including ESIC,EPF and Reliever charges(Round the clock)	48000.00
	Total	48000.00
	CGST @9%	4320.00
	SGST@9%	4320.00
	Total Work Order value per month will be Rs	56640.00
	Total Work Order value for AMC(14 months) will be Rs	679680.00

(Rs Six Lakhs Seventy Nine Thousand Six Hundred Eighty Only)


Thanking You & assuring best of our services at all times.

With Regards

Yours Truly,

For PARISARA CONSULTANTS

Jois Ramachar
Jois Ramachar
CEO



Principal
Principal

PMS Institute of Advanced Management Studies

NH 206, Sagar Road

SHIVAMOGGA-577 204.

VF



सत्यमेव जयते


INDIA NON JUDICIAL
Government of Karnataka



e-Stamp

Certificate No.
Certificate Issued Date
Account Reference
Unique Doc. Reference
Purchased by
Description of Document
Description
Consideration Price (Rs.)
First Party
Second Party
Stamp Duty Paid By
Stamp Duty Amount(Rs.)

IN-KA18912749871025Q
15-Mar-2018 10:38 AM
NONACC (FI)/ kaksfcl08/ SHIMOGA1/ KA-SM
SUBIN-KAKAKSFCL0885862276209391Q
PRERANA EDUCATIONAL AND SOCIAL TRUST R
Article 12 Bond
AGREEMENT
0
(Zero)
PRERANA EDUCATIONAL AND SOCIAL TRUST R
PARISARA CONSULTANTS
PRERANA EDUCATIONAL AND SOCIAL TRUST R
100
(One Hundred only)



Please write or type below this line

MAINTENANCE AGREEMENT

This agreement is made on 1st Mar 2018 between M/s. Parisara Consultants and M/s. Prerana Education Society, PESITM, to operate and maintain 2.0 KLD-STP at Prerana Educational & Social Trust (R), Sagar Road, Shimoga with following Condition.



K. S. Sathish
Principal
PES Institute of Advanced Management Studies
NH 206, Sagar Road
SHIVAMOGGA-577 204.

Contd..2.



..2..

- Managing trustee of Prerana Educational & Social Trust (R), will be the first party and CEO of M/s. Parisara Consultancy is the second party.
- First party is given the work order to the second party for operation and maintainance of 250 KLD-STP for a period of one year from 1st Mar 2018 to 28th Feb 2019.
- Second party has to maintain the plant from 1st Mar 2018 and second party has to induct 3 man power on 3 Shift basis.
- Second party has to provide all the safety PPE's to the employees along with ID Card.
- Second party has to maintain attendance register at security gate of Prerana Educational & Social Trust (R), and copy of the same to attested while claiming the bills.
- Second party has to maintain the plant as per the KSPCB norms, once in every month the treated water to be tested in KSPCB authorized lab and submit the same to first party.
- First party has to make the payment of Rs. 45,000 (Excluding tax) before 10th of every month to second party.
- Second party has to submit the ESI, PF paid challan every month along with invoice and test report from the KSPCB approved laboratory to first party.
- Second party has to full fill all the KSPCB norms and suitable technical person should witness during KSPCB visit.
- MESCOM bill and other major repair is the responsibility of first party.
- ~~➤ The Labours belongs to second party is not suppose to claim any payment dues or any statutory payments from first party. In this case second party is sole responsible for salary wages and statutory payments.~~
- The first party not responsible for any accident, injuries / death of the operators / supervisors at site during the STP maintenance work, whole & sole responsibility for Second party.
- Second party has to full fill & take all safety standard measures as per norms to the labours deputed at site.
- Second party has to doing all STP tank cleaning work once in year as per college long-period vacation and cost of the same to beard by 1st Party.
- The First party can terminate this agreement by giving written notice to second party if any persistent failure on part of all agreement of work to second party.



S. Srilatha
Principal

PES Institute of Advanced Management Studies
NH 206, Sagar Road
SHIVAMOGGA-577 204.

Contd..3..



..3..

- This agreement shall be governed and construed in accordance with the laws of the State of Karnataka.
- The second party will be liable for any damage to the first party Equipments and any other property if such damage is caused by the second party's negligence or willful act.
- The Second party will be resolve all the quires from KSPCB related to STP.
- Both the parties are agreed for the above said condition and signed for this agreement.
- Scope of the Service and other details of financial matters (Basic Price + GST) are elaborated in the covering letter enclosed.


Jois Ramachar
CEO
Parisara Consultants
Shimoga


B.Y. Ragavendra
Managing Trustee
Prerana Educational & Social Trust (R).
Shimoga


Principal

PES Institute of Advanced Management Studies
NH 206, Sagar Road
SHIVAMOGGA-577 204.




सत्यमेव जयते

INDIA NON JUDICIAL
Government of Karnataka



e-Stamp

Certificate No. : IN-KA17418763938128P
Certificate Issued Date : 13-Apr-2017 12:17 PM ✓
Account Reference : NONACC (FI)/ kaksfcl08/ SHIMOGA2/ KA-SM
Unique Doc. Reference : SUBIN-KAKAKSFCL0883434266086468P
Purchased by : PRERANA EDUCATIONAL AND SOCIAL TRUST R
Description of Document : Article 12 Bond
Description : AGREEMENT
Consideration Price (Rs.) : 0
(Zero)
First Party : PRERANA EDUCATIONAL AND SOCIAL TRUST R
Second Party : PARISARA CONSULTANTS
Stamp Duty Paid By : PRERANA EDUCATIONAL AND SOCIAL TRUST R
Stamp Duty Amount(Rs.) : 100
(One Hundred only)



MAINTENANCE AGREEMENT

This agreement is made from 15th MAR 2017 between M/s. Parisara Consultants and M/s. Prerana Educational & Social Trust, to operate and maintain 250 KLD-STP at Prerana Educational & Social Trust (R), Sagar Road, Shimoga with following Conditions.

- Managing trustee of Prerana Educational & Social Trust (R), will be the first party and CEO of M/s. Parisara Consultancy is the second party.
- First party is given the work order to the second party for operation and maintainance of 250 KLD-STP for a period of one year from 15th Mar 2017 to 14th Mar 2018.
- Second party has to maintain the plant from 15th Mar 2017 and second party has to induct 2 man powers on 2 Shift bases and one experienced supervisor (On Daily Visit Basis).

K. Sathish
Principal



- Second party has to provide all the safety PPE's to the employees along with the ID Card.
- Second party has to maintain attendance register at security gate of Prerana Educational & Social Trust (R), and copy of the same needs to be attached while claiming the bills.
- Second party has to maintain the plant as per the KSPCB norms, once in every month the treated water to be tested in KSPCB authorized lab and submit the same to first party cost of the activity if any needs to be paid by second party.
- Second party has to submit the ESI, PF paid challan every month along with invoice and test report from the KSPCB approved laboratory to first party.
- First party has to make the payment of Rs. 30,000 (including all applicable Tax) before 10th of every month to second party after receipt of the ESI,PF,KSPCB Laboratory report
- Second party has to full fill all the KSPCB norms and suitable technical person should witness during KSPCB visit.
- MESCOM bill and other major repair is the responsibility of first party.
- The Labours belongs to second party is not suppose to claim any payment dues or any statutory payments from first party. In this case second party is sole responsible for salary wages and statutory payments.
- The first party not responsible for any accident, Injuries / death of the operators / supervisors at site during the STP maintenance work, whole & sole responsibility rest with the Second party.
- Second party has to full fill & take all safety standard measures as per norms to the labours deputed at site.
- Second party has to do all STP tank cleaning work once in a year - college long period vacation.
- The First party can terminate this agreement by giving written notice period 15days in advance if the Second party not full fills any of the agreement terms
- This agreement shall be governed and construed in accordance with the laws of the State of Karnataka.
- The second party will be liable for any damage to the first party equipments and any other property if such damage is caused by the second party's negligence or willful act.
- The Second party will be resolve all the quires from KSPCB related to STP.
- Both the parties are agreed for the above said condition and signed for this agreement.



K. Sainath
Principal

B.Y. Ragavendra
B.Y. Ragavendra
Managing Trustee

Prerana Educational & Social Trust (R).



ORIGINAL FOR RECIPIENT

AQUA CHEM TECH INTERNATIONAL

#73, Kantha Complex, Dr Rajkumar Road, Prakash Nagar, Bangalore 560021

GSTIN : 29AIBPB8766D1Z9

Sl. No. of invoice : 106	TAX INVOICE	Date of Invoice : 08.10.2020
--------------------------	--------------------	------------------------------

To M/s. PRERANA EDUCATION TRUST SAGAR ROAD, Shivamogga	Details of Consignee (Shipped to)
	Period from 01.09.2020 to 31.08.2021

GSTIN/Unique ID : 29AABTP2364H1ZE

Sl. No.	Description of Goods / Services	HSN Code	Qty.	Rate	Amount
1	Operation and Maintenance of your Sewage Treatment for the month of September-2020	8997	1 month	60000	60,000

PAID
 Through - E- Payment
 Date : 02/11/2020
 A. No. : 3530

Payment Terms : 1) All Payments are to be made in favour of "M/s. Aqua Chem Tech International" or Through online transfer as per the Following :- Account No :- 4080002100002250 IFCI Code :- PUNB0408000 Bank Name :- Punjab National Bank (Dr Rajkumar Road) 2) Interest equivalent to that of prevailing in the market shall levied where ever payments are received beyond the agreed terms.	Total	60,000.00
	Discount	-
	Taxable Value	60,000.00
	CGST @ 9%	5,400.00
	SGST @ 9%	5,400.00
	IGST @ %	-
	Rounded Off	-
Total Invoice value (in figures)	70,800	

Receiver's Seal & Signature as per agreement (STP) <i>[Signature]</i>	For Aqua Chem Tech International <i>[Signature]</i> Authorized Signatory
---	--

25/10/2020

[Signature] 2/11/2020
 HEAD DEPT. OF CIVIL ENGG
 PES Institute of Technology & Management
 NH-206, Sagar Road, Shivamogga-577208

[Signature] 2/11/2020
 K. S. Sathya
 Principal
 PES Institute of Advanced Management Studies
 NH 206, Sagar Road
 SHIVAMOGGA-577 208

Prerana Educational & Social Trust 2015-16

Guddada Arekere Village,
Kotegangoor Post,
Shimoga 577 204
PhNo. 233795 / 233796
E-Mail : accounts@pestrust.edu.in



Payment Advice

Date : 2-Nov-2020

M/s. Aqua Chem Tech International

#73, Kantha Complex,
Dr. Rajkumar Road,
Prakash Nagar,
Bangalore,
Karnataka - 560021

Dear Sir/Madam,

Please find below the payment details.

Bill Ref.	Bill Date	Due Date	Amount
Agst Ref / 106	2-Nov-2020	2-Nov-2020	70,800.00
Less : TDS Payable - 94 C			(-450.00)
		Nett Amount	₹ 70,350.00

Payment Details				
Payment Mode	Transferred to	Instrument Details	Issued From	Amount
NEFT	A/c No. : 4080002100002250 Bank: Punjab National Bank (India) Bank Code :PUNB0408000	No. : S T P Maintenance Dt: 2-Nov-2020	SB - A/c 64007989668	70,350.00
			Total	₹ 70,350.00

CHABEYURAJ

Narration : Being Amount Paid to Aqua Chem Tech International towards Operation and Maintenance of Sewage Treatment Plant for the Month of Sep 2020 V No : 3530 (Note : TDS 0.75% = 60000 * 0.75% = 450 - PAN : AIBPB8766D)

Kindly acknowledge the receipt.

Thanking You

Authorised Signatory *Raj*
Checked by *Raj* 21/11/2020

K. S. Sathya
Principal
PES Institute of Advanced Management Studies
NH 206, Sagar Road
SHIVAMOGGA-577 204

Receiver's Signature

Verified by *Rajlaxmi*
03/11/2020

Asset detail handed over
Document status ?



ORIGINAL FOR RECIPIENT

AQUA CHEM TECH INTERNATIONAL

#73, Kantha Complex, Dr Rajkumar Road, Prakash Nagar, Bangalore 560021

GSTIN : 29AIBPB8766D1Z9

Sl. No. of Invoice : 127	TAX INVOICE	Date of Invoice : 10.11.2020
--------------------------	--------------------	------------------------------

To M/s. PRERANA EDUCATION TRUST SAGAR ROAD, Shivamogga	Details of Consignee (Shipped to)
Period from 01.09.2020 to 31.08.2021	

GSTIN/Unique ID : 29AABTP2364H1ZE

Sl. No	Description of Goods / Services	HSN Code	Qty.	Rate	Amount
1	Operation and Maintenance of your Sewage Treatment for the month of <u>October-2020</u>	9997	1 month	60000	60,000

PAID
Through - E- Payment
Date: 28/11/2020
Ref. No. 3564

Payment Terms : 1) All Payments are to be made in favour of "M/s. Aqua Chem Tech International" or Through online transfer as per the Following :- Account No :- 4080002100002250 IFCI Code:- PUNB0408000 Bank Name :- Punjab National Bank (Dr Rajkumar Road) 2) Interest equivalent to that of prevailing in the market shall levied where ever payments are received beyond the agreed terms.	Total	60,000.00
	Discount	-
	Taxable Value	60,000.00
	CGST @9%	5,400.00
	SGST @ 9%	5,400.00
	IGST @ %	-

Total Invoice value (in words) :- Rupees Seventy Thousand Eight Hundred. Only	Rounded Off	-
	Total Invoice value (in figures)	70,800

Receiver's Seal & Signature *As per agreement (STP)* For Aqua Chem Tech International
Dr Rajkumar
 28/11/2020



R. S. S. S. S.
 Principal

[Signature]
 28/11/2020

Prerana Educational & Social Trust 2015-16

Guddada Arekere Village,
Kotegangoor Post,
Shimoga 577 204
PhNo. 233795 / 233796
E-Mail : accounts@pestrust.edu.in

Payment Advice



M/s. Aqua Chem Tech International

#73, Kantha Complex,
Dr. Rajkumar Road,
Prakash Nagar,
Bangalore,
Karnataka - 560021

Dear Sir/Madam,

Please find below the payment details.

Bill Ref.	Bill Date	Due Date	Amount
Agst Ref / 127	28-Nov-2020	28-Nov-2020	70,800.00
Less : TDS Payable - 94 C			(-)450.00
		Nett Amount	₹ 70,350.00

Payment Details				
Payment Mode	Transferred to	Instrument Details	Issued From	Amount
NEFT	A/c No. : 4080002100002250 Bank: Punjab National Bank (India) Bank Code : PUNB0408000	No. : S T P Maintenance Dt: 28-Nov-2020	SB - A/c 64007989668	70,350.00
			Total	₹ 70,350.00

CHADFULIYA
Narration : Being Amount Paid to Aqua Chem Tech International towards Operation and Maintenance of Sewage Treatment Plant for the Month of Oct 2020 V No : 3564 (Note : TDS 0.75% = 60000 * 0.75% = 450 - PAN : AIBPB8766D)

Kindly acknowledge the receipt.

Thanking You

Authorised Signatory

Checked by

[Handwritten Signature]
28/11/2020

Receiver's Signature

Verified by
[Handwritten Signature]
28/11/2020

[Handwritten Signature]
Principal
PES Institute of Advanced Management Studies
NH 206, Sagar Road
SHIVAMOGGA-577 204



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL (Cert. No. T7207)

(Certified by ISO 14001:2015, OHSAS 18001:2007, ISO 9001:2015)

D.M.C Ward No 18 & C.T.C W No 1875 No. 595/4/22/B1 Block No 13/11 & 2nd Floor

Sarganahalli, Road, KEB Circle, Ballari - 580103 Contact No: Mob: 94498 03805 O: 08362 255186

Email: msvlab01@gmail.com, labmsv@gmail.com, Website: www.msvalab.com



TEST CERTIFICATE

Test Report No: TC720719000017400F

Issued Date: 22.10.2019

- 1 Name of the Project : M/s. Prerana Educational And Social Trust, PESITM College, Sagar Road, Shivamogga, Sagar Road, Shivamogga-577204
- 3 Sample Collected By : Client
- 4 Particulars of Sample : Treated SIP Water
- 5 Description/sample Condition : Good/Satisfactory
- 6 Date of Sample Collection : 16.10.2019
- 7 Analysis Starting Date : 17.10.2019
- 8 Analysis Completion Date : 22.10.2019
- 9 Sample Tested As Received

SL No.	Parameters	Unit	Result	Limits as per KSPCB	Protocol
1	pH	—	7.19	6 - 9	IS 3025 (P-11) - 1983
2	BOD (3 days @ 20° C)	mg/l	18	≤ 10	IS 3025 (P-44) - 1993
3	Total Suspended Solids	mg/l	4	< 20	IS 3025 (P-17) - 1984
4	Fecal coliform (MPN/100ML)	-	92	<1000	IS 3411(P-02) - 2012 ISO 4831:2006

INFERENCE

As per KSPCB Standards all The above parameters are well within the prescribed limits

Verified By



Authorized Signature

- Note: 1. The results listed only to the samples tested & reported to the client.
2. Water samples will be preserved after 7 days. Paper papers & Thermals will be preserved for 1 month. The date of issue of the certificate will be considered after 1 month from the date of test certificate issue.
3. The report is not to be reproduced whole or in part & is to be used only for the client's use & should not be used for any advertising or promotional purpose.
4. Data liability of our operations is limited to the procedure only. Any dispute arising from a report issued is subject to External Arbitration only.
5. Sampling is to done by us unless otherwise specified. The test and/or calibration marks will not be awarded by NABL.

H. P. S. Patil
Principal

PES Institute of Advanced Management Studies

NH 206, Sagar Road

SHIVAMOGGA-577 204.



MSV Analytical Laboratories

Recognition by MoEF under Environment Protection Act, 1986 and Accredited by NABL (Certificate No. T72071)
(Certified by ISO 14001:2015, OHSAS18001:2007, ISO 9001:2015)

C.M.C Ward No 18 & C.T.C.W.No.16 T.S.No. 895 A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakalle Road, AEB Circle, Ballari, 562103 Contact No : Mob : 94498 03895 (01) : 08392-295769

E-mail : msv.lab01@gmail.com, labmsv@gmail.com, Website : www.msvalballary.com



MSVAL/W/F/13/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC/2019/00018788F

Issued Date : 13.11.2019

- 1 Name of the Project : M/s. Prerana Educational And Social Trust, PESITM College, Sagar Road, Shivamogga, Sagar Road, Shivamogga-577201
- 2 Sample Collected By : Client
- 3 Particulars of Sample : Treated SIP Water
- 4 Description sample Condition : Good/Satisfactory
- 5 Date of Sample Collection : 08.11.2019
- 6 Analysis Starting Date : 09.11.2019
- 7 Analysis Completion Date : 13.11.2019
- 8 Sample Tested As Received

Sl. No.	Parameters	Unit	Result	Limits as per KSPCB	Protocol
1	pH	—	7.22	6 - 9	IS 3025 (P-11) - 1983
2	BOD (3 days @ 27°C)	mg/l	14	≤ 10	IS 3025 (P-44) - 1993
3	Total Suspended Solids	mg/l	12	< 20	IS 3025 (P-17) - 1984
4	Focal coliform (MPN/100ml)		0	< 1000	IS 5401 (P-02) - 2012 ISO 4831:2006

INFERENCE As per KSPCB Standards all The above parameters are well within the prescribed limits.

Verified By



Authorized Signature

Principal

Note: 1. The results based only to the water samples & applicable parameters.
 2. Water samples will destroyed after 10 days. Filter papers & Test tubes will be destroyed 3 months from the date of issue of the certificate unless otherwise specified. LC sample will be destroyed after 1 month from the date of issue certificate.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in any court of law without our special permission in writing.
 4. For further details laboratory advised to the reader please visit our website www.msvalballary.com or contact us at the phone number **94498 03895** or **08392-295769**.
 5. Sampling is for free by a mutual agreement between us. The analysis and report are provided with an analytical fee of **₹ 577.204**.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL (Cert. No. T72071)

(Certified by ISO 14001:2015, OHSAS 18001:2007, ISO 9001:2015)

C.M.C Ward No 18 & C.T.C W.No.10 T.S.No. 695/A/22/81, Block No 19 (1st & 2nd Floor)

Sanganahalli Road, KEB Circle, Ballari - 583103 Contact No. Mob: 94498 03885, (O) : 08392 2551

E mail: msval01@gmail.com, info@msval.com, Website: www.msvalabidary.com



MSVAL/W/F/13/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720719000021381F

Issued Date: 16.12.2019

- 1 Name of the Project : M/s. Pretna Educational And Social Trust, PESITM College, Sagar Road, Shivamogga, Sagar Road, Shivamogga-577201
- 3 Sample Collected By : Client
- 4 Particulars of Sample : Treated STP Water
- 5 Description/sample Condition : Good/Satisfactory
- 6 Date of Sample Collection : 10.12.2019
- 7 Analysis Starting Date : 11.12.2019
- 8 Analysis Completion Date : 16.12.2019
- 9 Sample Tested As Received

Sl. No.	Parameters	Unit	Result	Limits as per KSPCB	Protocol
1	pH	—	7.31	6 - 9	IS 3025 (P-11) - 1983
2	BOD (5 days @ 20° C)	mg/l	9.5	≤ 10	IS 3025 (P-44) - 1993
3	Total Suspended Solids	mg/l	16	< 20	IS 3025 (P-17) - 1984
4	Fecal coliform	MPN/100ML	47	< 1000	IS 5401(P-02) - 2012 ISO 4831:2006

INFERENCE	As per KSPCB Standards all the above parameters are crossed the prescribed limits
-----------	---

Verified By

[Signature]



Authorized Signature

[Signature]

1. The results are only for the tested samples & applicable parameters.
2. Water samples will be destroyed after 15 days. Filter papers & Tubes etc. will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. E.C. sample will be destroyed after 1 month from the date of test certificate issue.
3. The reports not to be reproduced without prior consent of the analyst & cannot be used as evidence in court of law & should not be used for any advertising or promotional purpose without our special permission in writing.
4. Total liability of our laboratory is limited to the amount of test. Any dispute arising out of this report is subject to Ballari Jurisdiction.
5. Weeping in or out of the report unless otherwise specified. E. The test results are not to be used as an evidence in court by NABL.

[Signature]
Principal

PES Institute of Advanced Management Studies
NH 206, Sagar Road
SHIVAMOGGA-577 204.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL (Cert. No. T7207)
(Certified by ISO 14001-2015, OHSAS18001-2007, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 11th & 2nd Floor
Sanganakallu Road, KEB Circle, Ballari 583103 Contact No: Mob: 94498 03895, (0) : 08382-255788
E-mail : msv.lab01@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



MSVAL/W/F/13/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC72072000000992F

Issued Date : 17.01.2020

- 1 Name of the Project : M/s. Prerana Educational And Social Trust, PESITM College, Sagar Road, Shivamogga.
Sagar Road, Shivamogga-577201
- 3 Sample Collected By : Client
- 4 Particulars of Sample : Treated STI¹ Water
- 5 Description/sample Condition : Good/Satisfactory
- 6 Date of Sample Collection : 11.01.2020
- 7 Analysis Starting Date : 12.01.2020
- 8 Analysis Completion Date : 17.01.2020
- 9 Sample Tested As Received

Sl. No.	Parameters	Unit	Result	Limits as per KSPCB	Protocol
1	pH	—	7.43	6 - 9	IS 3025 (P-11) - 1983
2	BOD (3 days @ 27° C)	mg/l	9.2	≤ 10	IS 3025 (P-44) - 1993
3	Total Suspended Solids	mg/l	16	< 20	IS 3025 (P-17) - 1984
4	Fecal coliform	MPN/100MI	47	<1000	IS 5401(P-02) - 2012 ISO 4831:2006

INFERENCE	As per KSPCB Standards all The above parameters are crossed the prescribed limits.
-----------	--

Verified By



Authorized Signature

Principal



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL (Cert. No. T7207)

(Certified by ISO 14001:2015, OHSAS18001:2007, ISO 9001:2015)

C.M.C Ward No 18 & C.T.C W No 16 T S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255188.

E mail : msv.lab01@gmail.com, labmsv@gmail.com, Website : www.msvlabballary.com



MSVAL/W/F/13/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720720000003059F

Issued Date : 15.02.2020

- 1 Name of the Project : M/s. Prerana Educational And Social Trust, PESITM College, Sagar Road, Shivamogga.
Sagar Road, Shivamogga-577201
- 3 Sample Collected By : Client
- 4 Particulars of Sample : Treated STP Water
- 5 Description/sample Condition : Good/Satisfactory
- 6 Date of Sample Collection : 11.02.2020
- 7 Analysis Starting Date : 12.02.2020
- 8 Analysis Completion Date : 15.02.2020
- 9 Sample Tested As Received

Sl. No.	Parameters	Unit	Result	Limits as per KSPCB	Protocol
1	pH	---	7.13	6 - 9	IS 3025 (P-11) - 1983
2	BOD (3 days @ 27° C)	mg/l	8	≤ 10	IS 3025 (P-44) - 1993
3	Total Suspended Solids	mg/l	14	< 20	IS 3025 (P-17) - 1984
4	Fecal coliform	MPN/100MI	42	<1000	IS 5401(P-02) - 2012 ISO 4831:2006

INFERENCE	As per KSPCB Standards all The above parameters are within the prescribed limits.
-----------	---

dsj
Verified By



Authorized Signature

H. Sairatha
Principal

Note : 1. The results listed only to the tested samples & applicable parameters.

PES Institute of Advanced Management Studies - Shivamogga - 577204

NH 206, Sagar Road

SHIVAMOGGA-577 204.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL (Cert. No. T7207)

(Certified by ISO 14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C.W No.16 T.S.No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari 583103 Contact No - Mob: 94498 03895, 101: 08392 255169.

E-mail: msv.lab01@gmail.com, labmsv@gmail.com, Website: www.msvlabatory.com



7207



MSVAL/W/F/13/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720720000008000F

Issued Date: 16.06.2020

- 1 Name of the Project : M/s. Prerana Educational And Social Trust, PESITM College, Sagar Road, Shivamogga.
Sagar Road, Shivamogga-577201
- 3 Sample Collected By : Client
- 4 Particulars of Sample : Treated STP Water
- 5 Description/sample Condition : Good/Satisfactory
- 6 Date of Sample Collection : 11.06.2020
- 7 Analysis Starting Date : 12.06.2020
- 8 Analysis Completion Date : 16.06.2020
- 9 Sample Tested As Received

Sl. No.	Parameters	Unit	Result	Limits as per KSPCB	Protocol
1	pH	---	7.34	6 - 9	IS 3025 (P-11) - 1983
2	BOD (3 days @ 27 ^o C)	mg/l	5	≤ 10	IS 3025 (P-44) - 1993
3	Total Suspended Solids	mg/l	16	< 20	IS 3025 (P-17) - 1984

INFERENCE As per KSPCB Standards all The above parameters are within the prescribed limits.

Verified By



Authorized Signature

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water samples will destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be

PES Institute of Advanced Management Studies

NH 206, Sagar Road

SHIVAMOGGA-577 204.